	CENTRAL INTELLIGENCE AGENCY INFORMATION REPORT	report no
COUNTRY USSR		DATE DISTR. 5 MAR 1954 50X1
SUBJECT Labor Proble	ems in Coal Mines of the Donets	NO. OF PAGES 4 50X1
PLACE ACQUIRED		NO. OF ENCLS.
DATE ACQUIRED BY SOURCE		SUPPLEMENT TO REPORT NO.
DATE OF INFO		50X1

SOUR

1. There was always sufficient coal mined for industry in the Soviet Union. There was not, however, sufficient fuel within the price range of the average worker. It was true, and probably still is, that planned quotas for coal mining were not fulfilled, but the fault was with the unrealistic quotas and the inability to meet them. Miners in the Soviet were little more than slaves. They lived under the constant fear of punishment and repressions. They had a poor diet and insufficient clothing. Unless they managed to steal coal, they lived without heat in their crowded apartments and rooms. The following facts contributed to low labor productivity:

a. Shortage of Labor

This is a subjective concept; actually there were too many workers, but they were not interested enough to be efficient.

b. Labor Turnover

Considerable turnover was an overall problem of the Soviet because workers were always trying to find a better job with less work involved and better working conditions.

c. Disease

50X

A high percentage of disease among miners was due to the fact that sanitary conditions at the mine and home were very poor, coupled with an insufficient amount of food and poor diet.

d. Low Quality of Personnel

Workers were untrained and no incentive was given to learn their trade properly. The Ministry of Labor Reserves had to be created in order to train personnel, However, many young people were forced to take technical training and, as a result, were bitter. Force and threats were even used

y countries on any	يميزيمان و ده يجموون. دي	I FOR SUB	and the second of the second o		
CLAS	SIFICATION	CONFIDENTIAL			
		DISTRIBUTION			
				ORR I	CV
<u></u>					

This report is for the use within the USA of the Intelligence components of the Departments or Agencies indicated above. It is not to be transmitted oversess without the confourtence of the originating office through the Assistant Director of the Office of Office of Office of Office.

CONFIDENTIAL

-2-

to send young people to engineering and technical colleges. Under such a system there was little incentive or interest in coal mining. The average coal mine employs numerous engineers and technicians, but working in an atmosphere of constant fear of being punished for the smallest mistake, they were little concerned with purely technical problems of production. Rather, they worried over safety rules, ventilation, etc. The engineer knew he would be tried in the event of cave-ins, fires, flooding, etc, and attended to these matters more than to actual production.

2. The working day at all mines was as follows:

Type of Workers	Official Hours	Actual Hours
Miners - cutting machine operators, drill operators, etc.	6	8
Underground Workers Surface Workers Administrative Workers	7 7 to 8 7 to 8	8 to 9 8 to 10 12 to 16

Prior to 1932 some mines operated on a six-day work week. After 1932, a continuous, seven-day work week was introduced. The employees worked in shifts and staggered a day off among themselves. The employees did not always get a day off, however, and many were made to work seven days a week. The only official holidays were May 1 - 2 and November 7 - 8. As a rule, office employees got no time off. If they adhered to a "day-off" schedule, they would not have been able to keep up with their work. Despite the attempts to stamp out absenteeism, about five per cent were usually AWOL among all employees. Those on vacation made up eight per cent, those on a day-off, 15% and those on sick leave, 12%, making a total of 40% off. Consequently, only about 60% were engaged in production at a given time.

- 3. The ratio of non-productive labor was about the same at all mines. It was predetermined by fixed tables of organization and was high because of the very nature of Soviet economy. All mines had large staffs of white-collar employees, the ratio to total employees ranging from 12% to 20%, as compared to four to five per cent under democratic economic systems. The higher number was required in the Soviet in order to handle the extremely bureaucratic system of administration. The whole of Soviet economy is characterized by a vast amount of paper work and a system of checks and double checks. Many white-collar workers put in a 16 hour day as a result. If the economic system were changed, 50% of all office employees could be eliminated and 30% of all surface workers.
- 4. The organization and supervision of the actual mining was the duty of a technical employee known as "desystnik". Since the working process in a coal mine is not too complex, the "desystnik" must also check all safety measures, supervise all tunneling and supporting and the movement of coal carts. Despite the fact that all workers are paid on a piece rate basis, a great deal of supervision of all phases was necessary because of the carelessness of the workers. The percentage of all types of accidents was high despite the strict rules and the heavy responsibility for them that was placed on the engineers and technicians. Fatal accidents were frequent. The high percentage of accidents was due to the following:
 - a. Inexperience of the worker
 - b. Negligence because of lack of interest
 - c. Shortage and poor quality of equipment
 - d. Shortage of material (wood) for support of roofs of tunnels
 - e. Haphazard working conditions
 - f. Poor ventilating
 - g. Lack of good discipline to safety rules
 - h. Deliberate actions of workers, including engineers and technicians, to put certain sections of a mine out of commission

CONFIDENTIAL

CONFIDENTIAL

-3-

5. Because of the shortage of equipment, a great many employees were needed above ground. What equipment there was, was usually obsolete or worn out. For example, 10 different phases of work were required in handling each coal cart from underground to the railroad loading point. Mechanical equipment was not available to simplify this work. Similarly, a great number of employees were needed by the repair and maintenance shop of each mine to take care of the many repairs needed. The use of cutting machines was limited. Some pneumatic drills were used, but more frequently, hand drills. We made most of our nails out of cable, because nails were so scarce. "Home-made" axes were used in putting up supports. All in all, equipment was very scarce.

50X1

6.

The mine was connected with the main line of the railroad by a line served by locomotives of the Transportation Section of the Mining Trust. The mine had its own settlement for the workers as well as workers of neighboring mines and a chemical coke plant located nearby. Mine No 30 employed betweer 1200 and 1300 people, broken down as follows:

Miners - 250 to 300
Other underground workers - 500
Surface workers - 300 to 375
Office employees,
engineers, etc - 150 to 175

The settlement of Rutchenkovo was about $4\frac{1}{2}$ miles from the city of Stalino and had between 20 to 25 thousand inhabitants. At Mine No 30 the coal was mined by hand in so-called "drawers", the worker laboring in a kneeling position. It was then loaded into push carts and hauled to the secondary tunnels, where it was loaded onto horse-drawn cars and moved to the main tunnel. From there, it was moved by mechanical haul to the main shaft where it was lifted to the surface by elevators. At the surface it was hauled, again in push-carts, to the loading point, where it was loaded on railroad coal cars by hand.

50X1

The Northern Mine. The Contral Mine was located four to five miles from the freight station at Krivoy Torets on the Mariupol-Lozovaya-Kharkov railroad. This mine was connected to the main line by a railroad served by locomotives of the Transportation Section of the Mining Trust. It, too, had its own settlement for the workers, known as Dzeezhinovka. Neighboring mine workers also lived there, making up a total population of between 20 and 29 thousand persons. Between 37 hundred and four thousand persons were employed at the Central Mine, broken down as follows:

Miners - 750 to 800
Other underground workers - 1700 to 1800
Surface workers - 850 to 900
Office employees,
engineers, etc. - 400 to 450

8. The Northern Mine was located between four and five miles from the railroad station of Magdalinovka on the Nikitovka-Lozovaya-Kharkov line. Locomotives of the Transportation Section of the Mining Trust hauled the coal to the main line. The trust had its own workers settlement with a population of about 12 thousand. It was located about 12 miles from Garlovka and eight miles from Nikitovka. The mine employed between 28 hundred and three thousand persons, broken down as follows:

Miners - 600 to 650
Other underground workers - 1300 to 1375
Surface workers - 600 to 625
Office employees, College Annie 1200 to 350

CONFIDENTIAL

CONFIDENTIAL.

المناه المؤرث

- 9. At the Northern and Central Mines the coal layers form steep angled slopes. From the point of actual mining, the coal slid down gravity chutes to the tunnel. From that point it was hauled in both horse drawn and electric carts to the main shaft, lifted by elevator to the surface and moved in hand carts to the loading point, where it was loaded both by hand and some loading machines into the railroad cars.
- 10. The daily and monthly production (continuous working week) of the above three mines was as follows: (in metric tons)

Per day	Per month
600 2,000 1. 7 50	18,000 60,000 52,500
	600

Labor productivity per individual actually working: (in metric tons)

Job Mine No 30		Centre	Central Mine		Northern Mine	
Mine: Other workers	Per day	Per month 99 22.2	Per day 3.9 0.83	Per month 117 24.9	Per day 4.5 0.97	Per month 135 29.1

(The above figures are based on a 60% attendance)

Labor productivity per individual of all employees:

Job	Ming No	30	Centra	Central Mine		Northern Mine	
	Per day Per	month	Per day	Per month	Per day	Per month	
Mire :	2.0	60	2.3	69.0	2.5	75.0	
Other workers	0.44	13.2	0.5	15.0	0.62	18.6	

end

TUBULT BARTA

4/735.1 524N 761.302 524N 761.402 524N 762.102 524N 762.502 524N 762.602 524N 2/735.5 524N . نوده س

CONFIDENTIAL